Electric Typewriters Not Reeting GSA Standards and Their Disposition Approved For Release 2002/05/01: CIA-RDP57-00042A000200120002-3

kake & Type	Carriage	Agency Reference Gode	Hours of Daily Use	Disposition
TEM Standard	12"	196	3.0	Transferred within office now used 6 hours
I際 Standard	12"	184	2.0	Transferred within office now used 6 hours
IBM Standard	12"	089	1.0	Transferred within office now used 5 hours
IM Standard	12"	221	2.0	Special use for photocopying work
IEM Standard	50**	239	Periodic use	Special periodic use fer stencils and photographic work
IM Executive	12"	236	1.5	Proportional specing needed for special daily report.
IM Standard	12 ⁿ	1117	2.5	Transferred within office for justified requirement
Remington Rand				
Standard	13"	436	2.5	Used in classrooms for typist training purposes
IEW Standard	12n	119	2.5	Used in classrooms for typist training purposes
IBM Standard	16"	391	2.5	Transferred overseas
IBM Standard	12"	379	3.0	Transferred within office for justified requirement
IBM Standard	16 ⁿ	354	?	Overseas - should not have been included in original report
IBW Standard	15*	307	2.0	Classified use
IBM Standard	12 ⁿ	306	2.5	Classified use
IBM Standard	12 ⁿ	278	1.0	Used by physically handicapped employee
IH Stendard	12*	277	2.0	Transferred within office for justified requirement
IRM Standard	12"	308	3.0 Total Machine	Used daily to prepare forms with 15 copies
IBM Standard	169	107	0	Released to Logistics for surplus or stock
IBM Standard	16 ⁿ	107	0	Released to Legistics for surplus or stock
IPM Stendard	15n	108	0	Released to Logistics for surplus or stock
IBM Standard	15a	038	0	Released to Logistics for surplus or stock
IBM Standard	12 ⁿ	038	0	Released to Logistics for surplus or stock
IBM Standard	12¤	197	0	Released to Logistics for surplus or stock
IBN Standard	16a	435	1.5	Released to Logistics for surplus or stock
IBM Standard	12*	117	1.0	Released to Logistics for surplus or stock
Remington Rand	20"	127	2.0	Released to Logistics for surplus or stock
			Total Fachine	18 - 9

Grand Total Machines - 26